

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|---|------------------|---------|------------------|
| S1 | 599 | 361/106.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 08:06 |
| S2 | 2468696 | telephone (telephone adj (line lines)) telecommunication\$1 communication\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:10 |
| S3 | 15088 | S2 and (thermistor thermistors PTC PTCs) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:08 |
| S4 | 6022 | S3 and (protect protecting protection protected) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 14:33 |
| S5 | 6267 | S3 and (protect protecting protection protected protects) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:07 |
| S6 | 5791 | S5 and temperature | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 14:34 |
| S7 | 2779 | S2 same (thermistor thermistors PTC PTCs) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 14:36 |
| S8 | 310 | S7 same (protect protecting protection protected protects) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/05 14:44 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|-----|------------------|
| S9 | 5 | ((("5410596") or ("5867083") or ("6040972") or ("5407901") or ("4203006")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/05 15:03 |
| S10 | 15 | ("4467310" "4661979" "4695916" "4878038" "4964160" "5057964" "5146384" "5198794" "5198957" "5204799").PN. OR ("6040972").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/05 14:48 |
| S11 | 8 | ("3978443" "4494104" "5204799" "5254969" "5379022").PN. OR ("5867083").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/05 14:59 |
| S12 | 5 | ((("5410596") or ("5867083") or ("6040972") or ("6407901") or ("4203006")).PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/05 15:03 |
| S13 | 3 | (US-5867083-\$ or US-4683515-\$ or US-5204799-\$).did. | USPAT | OR | OFF | 2006/04/06 09:04 |
| S14 | 3 | (US-5867083-\$ or US-4683515-\$ or US-5204799-\$).did. | USPAT | OR | OFF | 2006/04/06 09:04 |
| S15 | 210 | ((protect protection protecting protected) same (communication telecommunication)).ti. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 09:13 |
| S16 | 15 | ("4467310" "4661979" "4695916" "4878038" "4964160" "5057964" "5146384" "5198794" "5198957" "5204799").PN. OR ("6040972").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/06 09:25 |
| S17 | 2470792 | telephone (telephone adj (line lines)) telecommunication\$1 communication\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:46 |
| S18 | 257918 | S17 and (protect protecting protecting protected protects) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:47 |
| S19 | 4893 | S18 and (thermistor thermistors PTC PTCs) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:47 |

EAST Search History

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S20 | 4535 | S19 and (temperature) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:48 |
| S21 | 3150 | S20 and (resistance) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:48 |
| S22 | 1493 | S21 and housing | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:48 |
| S23 | 888 | S21 and ((room adj temperature) (room near temperature) ("25" adj degrees) ("25" near C)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:54 |
| S24 | 674 | S23 and (input output (input adj terminal) (output adj terminal)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:56 |
| S25 | 314 | S24 and (resistor\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/06 11:57 |
| S26 | 36812 | (communication telecommunication) same (protect\$5) | US-PGPUB; USPAT | OR | OFF | 2006/04/06 12:13 |
| S27 | 1490 | S26 same temperature | US-PGPUB; USPAT | OR | OFF | 2006/04/06 12:14 |
| S28 | 161 | S27 same resistance' | US-PGPUB; USPAT | OR | OFF | 2006/04/06 12:14 |
| S29 | 161 | S27 same resistance | US-PGPUB; USPAT | OR | OFF | 2006/04/06 12:14 |
| S30 | 0 | S29 same (roon near temperature) | US-PGPUB; USPAT | OR | OFF | 2006/04/06 12:14 |
| S31 | 118 | S26 same (thermistor thermistors PTC PTCs) | US-PGPUB; USPAT | OR | OFF | 2006/04/06 12:15 |

EAST Search History

| | | | | | | |
|-----|-----|--|------------------------------|----|-----|------------------|
| S32 | 8 | ("4903295" "5555153" "5909349" "6031706" "6040972").PN. OR ("6377435").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/06 12:26 |
| S33 | 27 | ("2010814" "2382024" "2609644" "3768157" "3914727" "4024427" "4031499" "4099154" "4200970" "4210800" "4419564" "4434416" "4730103" "4792779" "4959505" "5057964" "5142265" "5218336" "5233326" "5510594" "5990779").PN. OR ("6188307").URPN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/06 13:57 |
| S34 | 177 | housing with inflammable | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/06 13:58 |
| S35 | 42 | S34 and (communication telecommunication) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/06 13:58 |
| S36 | 20 | S35 and (protect\$4) | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/06 13:58 |
| S37 | 10 | (US-20050007709-\$).did. or (US-5867083-\$ or US-4683515-\$ or US-5204799-\$ or US-6040972-\$ or US-D292089-\$ or US-6377435-\$ or US-6980411-\$ or US-6188307-\$ or US-5798685-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/04/06 15:21 |
| S38 | 4 | S37 and (printed adj circuit adj board) | US-PGPUB; USPAT | OR | OFF | 2006/04/06 15:21 |
| S39 | 90 | (data adj terminal) same ((printed adj circuit adj board) PCB) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 08:53 |
| S40 | 56 | S39 and (communica\$4 telecommunica\$4) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 08:56 |
| S41 | 20 | S40 and (protect\$5) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 08:53 |
| S42 | 36 | S40 not S41 | US-PGPUB; USPAT | OR | OFF | 2006/04/07 08:56 |
| S43 | 10 | (US-20050007709-\$).did. or (US-6040972-\$ or US-5867083-\$ or US-4683515-\$ or US-6377435-\$ or US-6188307-\$ or US-5798685-\$ or US-6980411-\$ or US-5204799-\$ or US-D292089-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/04/07 09:01 |
| S44 | 4 | S43 and (pcb (printed adj circuit adj board)) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 11:06 |
| S45 | 3 | S44 and (data adj terminal (terminal)) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 09:02 |

EAST Search History

| | | | | | | |
|-----|---------|--|---|----|-----|------------------|
| S46 | 30 | (housing case) near (flammable) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 11:06 |
| S47 | 3 | (housing) near (flammable) | US-PGPUB; USPAT | OR | OFF | 2006/04/07 11:07 |
| S48 | 2470792 | telephone (telephone adj (line lines)) telecommunication\$1 communication\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:07 |
| S49 | 332723 | S48 and (protect protecting protection protected protects) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:07 |
| S50 | 6275 | S49 and (thermistor thermistors PTC PTCs). | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:08 |
| S51 | 5516 | S50 and (housing housed case casing) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:09 |
| S52 | 0 | S50 and ((housing housed case casing) near (flammable inflamm\$5))\ | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:10 |
| S53 | 0 | S50 and ((housing housed case casing) near (flammable inflamm\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:13 |
| S54 | 54 | S50 and ((housing housed case casing) same (flammable inflamm\$5)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/04/07 11:13 |
| S55 | 3 | housing near inflammable | US-PGPUB; USPAT | OR | OFF | 2006/04/10 09:18 |
| S56 | 4 | housing near (flammable nonflammable) | US-PGPUB; USPAT | OR | OFF | 2006/04/10 09:18 |

EAST Search History

| | | | | | | |
|-----|-------|---|------------------------------|----|-----|------------------|
| S57 | 10 | (US-20050007709-\$).did. or (US-6040972-\$ or US-5867083-\$ or US-4683515-\$ or US-6377435-\$ or US-5798685-\$ or US-6188307-\$ or US-5204799-\$ or US-D292089-\$ or US-6980411-\$).did. | US-PGPUB; USPAT | OR | OFF | 2006/04/10 10:03 |
| S58 | 0 | S57 and (automat\$4 same insert\$4) | US-PGPUB; USPAT | OR | OFF | 2006/04/10 10:49 |
| S59 | 6 | automated adj component adj insertion adj machine | US-PGPUB; USPAT | OR | OFF | 2006/04/10 10:51 |
| S60 | 91271 | housing same (telecommunication communication) | US-PGPUB; USPAT | OR | OFF | 2006/04/12 10:16 |
| S62 | 2938 | S60 same (telephone phone) | US-PGPUB; USPAT | OR | OFF | 2006/04/12 10:17 |
| S63 | 114 | S62 same (protect protecting protection) | US-PGPUB; USPAT | OR | OFF | 2006/04/12 10:17 |
| S64 | 2 | ("0292089").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/12 11:41 |
| S65 | 1 | ("D292089").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/04/12 11:42 |
| S66 | 1 | ("6183304").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2006/10/14 13:46 |